

NIELIT CALICUT

(Autonomous Scientific Society of Ministry of Electronics & Information Technology, Govt. of India)

NIT Campus Post, CALICUT-673 601, KERALA

Email: purchase@calicut.nielit.in Web: http://nielit.gov.in/calicut

Phone: 0495-2287266 Fax: 0495-2287168

LIMITED TENDER ENQUIRY

By Speed Post Date: 19.12.2019

Ref. No.: 2(1112)/2019-20/PATP/DPC

As per list attached (**16 Nos**.)

DUE DATE: 06.01.2020

- 1. Quotations are invited for the supply of the items as per Annexure.
- The quotations duly SIGNED, SEALED AND SUPERSCRIBED ON THE ENVELOPE WITH THE REFERENCE No. AND DUE DATE, should be addressed to the undersigned so as to reach on or before the due date stipulated above. Quotations received after the due date will not be considered.
- 3. The quotations should be valid for acceptance for a period of sixty days from the due date
- 4. Quotations will not be accepted by Fax, Email or any such electronic data transfer form.
- 5. The quotations should be for goods exactly conforming to our requirements and specifications.
- 6. If the item is under DGS&D Rate contract, the number and the price applicable must be mentioned. It may also please be indicated whether the supply can be made direct to us at the DGS&D Rate Contract Price.
- 7. Relevant literature pertaining to the items quoted with full specifications and drawings, if any should be sent along with the quotations, wherever applicable. Samples, if called for, should be submitted free of charges and collected back at the supplier's expenses.
- 8. Copy of Manufacturing licence, Principal or Authorized Distributor/Dealer Certificate, and Proprietary Certificate, as applicable, should be enclosed.
- Quotations should be for free delivery at our Centre and should clearly specify the delivery period. If delivery quoted is Ex-Godown/Consignor Station, delivery charges consisting of freight, packing & forwarding charges, insurance, etc. should be indicated separately. Goods should be supplied duly carriage paid and insured.
- 10. GST Registration Number of NIELIT Calicut is: **32AAATD0315M1Z6**. GST or any other taxes may be charged as per the rates applicable to Scientific/Educational institutions.
- 11. Security Deposit @ 5% of the Purchase Order/Invoice value shall be retained, in case order/contract value exceeds Rs.1 lakh, which will be released after the expiry of warranty period.
- 12. Goods shall not be supplied without an official purchase order.
- 13. Payment : Payment will be made after completion of supply, installation/assembly and commissioning of the items covered by the order along with necessary spares supplied to the entire satisfaction of NIELIT CALICUT. Payment against invoices shall normally be made within 30 days of receipt and acceptance of equipment/materials at our office. <u>No advance payment will be made under any circumstance</u>.
- 14. Incomplete quotations and quotations which do not comply with all the above instructions are liable to be summarily rejected.
- 15. NIELIT CALICUT does not bind itself to accept the lowest or any such quotation and has the right to accept or reject whole or any part of tenders or a portion of the supply of goods without assigning any reasons. No correspondence in case of rejected tenders will be entertained.
- 16. Earnest Money Deposit (E.M.D.) for Rs. 47,000/- be deposited by NEFT in the Bank Account No. 10401158037 (IFSC: SBIN0002207) at State Bank of India, NIT Calicut Branch, CREC Campus, Chathamangalam, Calicut 673 601, in favour of Director, NIELIT CALICUT, failing which the quotation will be rejected. Proof of Deposit of EMD amount with Tenderer's Bank Account No. and IFSC No. should be submitted with the Quotation.

Yours faithfully,

Purchase In-Charge For Executive Director

ANNEXURE TO ENQUIRY

Your Q	uotation No.	Date:		
1	Name of item(s)	Desktop PC – 25 Nos.		
2	Specifications & Quantity As per Specifications attached.			
3	Price per unit in Rs. (in figures & words)	Attach separate list, if required.		
4	Total Price in Rupees (in figures & words)			
5	Delivery Period			
6	Terms of Delivery			
7	Taxes, Duties, Octroi & any other statutory levies or charges			
8	Transportation, Insurance, Packing & Forwarding etc.			
9	Discount/off etc., if any			
10	GST Registration No.			
11	Payment Terms			
12	Validity of Tender			
13	Warranty			
14	Any other remarks / EMD Amount and Payment details			
15	Signature of the Tenderer wit Name and Date	h		
16	Address with Email ID & Mobile No.			
17	Central Public Procurement Portal (www.eprocure.gov.in) Registration, Email login ID)		

NB: (1) The prices quoted and Taxes charged should be Academic/Educational Prices/rates, wherever applicable.

- (2) Enquiry for the above items and specifications can also be downloaded from our website *http://nielit.gov.in/calicut* or *www.eprocure.gov.in*
- (3) Please register at www.eprocure.gov.in and intimate login details without fail. Watch website for regular updates

Desktop Computers – 25 Nos – Technical Specification (Minimum Requirements)

Processor Intel® Core™ i7-9700T or better Chipset Intel® Q370 Chipset or higher Mother Board OEM Mother board Memory 8 GB DDR4 RAM 2666 MHz or higher, expandable up to 64 GB Hard disk Drive 1TB HDD 7200 rpm SATA or better Support for M.2 PCIe NVMe Solid State Drive Graphics Graphics Integrated Intel® UHD Graphics 630 Chassis Mini Tower type [less than 15 Litres] External Ports 8 External USB : 1 x USB Type-C 3.1 Gen 2; 5 x 3.1 Gen 1 Type-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-Out Networking 10/100/1000 on board integrated Network Port facility 1 Slots 1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCIe x1 Monitor 21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC) Keyboard USB 104 keys keyboard (same make as PC) Mouse USB Optical Scroll Mouse (same make as PC) Power Supply Power factor correction (PFC) power supply With minimum 85% efficiency OEM ISO 9001 & 14001 Certification for OEM Compliance Compliance Compliance	nce
Mother BoardOEM Mother boardMemory8 GB DDR4 RAM 2666 MHz or higher, expandable up to 64 GBHard disk Drive1TB HDD 7200 rpm SATA or better Support for M.2 PCIe NVMe Solid State DriveGraphicsIntegrated Intel® UHD Graphics 630ChassisMini Tower type [less than 15 Litres]External Ports 8 External USB: 1 x USB Type-C 3.1 Gen 2; 5 x 3.1 Gen 1 Type-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB D0tical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
Memory8 GB DDR4 RAM 2666 MHz or higher, expandable up to 64 GBHard disk Drive1TB HDD 7200 rpm SATA or better Support for M.2 PCIe NVMe Solid State DriveGraphicsIntegrated Intel® UHD Graphics 630ChassisMini Tower type [less than 15 Litres]External Ports 8 External USB: 1 x USB Type-C 3.1 Gen 2; 5 x 3.1 Gen 1 Type-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network Port 1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
Hard disk Drive1TB HDD 7200 rpm SATA or better Support for M.2 PCIe NVMe Solid State DriveGraphicsIntegrated Intel® UHD Graphics 630ChassisMini Tower type [less than 15 Litres]External Ports 8 External USB: 1 x USB Type-C 3.1 Gen 2; 5 x 3.1 Gen 1 Type-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB D0tical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
Support for M.2 PCIe NVMe Solid State DriveGraphicsIntegrated Intel® UHD Graphics 630ChassisMini Tower type [less than 15 Litres]External Ports 8 External USB: 1 x USB Type-C 3.1 Gen 2; 5 x 3.1 Gen 1MinimumType-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
GraphicsIntegrated Intel® UHD Graphics 630ChassisMini Tower type [less than 15 Litres]External Ports 8 External USB: 1 x USB Type-C 3.1 Gen 2; 5 x 3.1 Gen 1MinimumType-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
ChassisMini Tower type [less than 15 Litres]External Ports 8 External USB: 1 x USB Type-C 3.1 Gen 2; 5 x 3.1 Gen 1MinimumType-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
External Ports Minimum8 External USB: 1 x USB Type-C 3.1 Gen 2; 5 x 3.1 Gen 1 Type-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 0ptical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
MinimumType-A (1 front, 4 rear) and 2 x 2.0(2 Type-A front (one with PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network Port 1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Slots1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
PowerShare), 1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
1 RJ-45, 2-Displayport, 1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
1 Universal Audio Jack,1 Line-OutNetworking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEM ComplianceISO 9001 & 14001 Certification for OEM	
Networking facility10/100/1000 on board integrated Network PortSlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEMISO 9001 & 14001 Certification for OEM	
facilityISlots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEMISO 9001 & 14001 Certification for OEM Compliance	
Slots1 Full Height PCIe x16, 1 Full Height PCIe x16 (wiredx4), 1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEMISO 9001 & 14001 Certification for OEMComplianceISO 9001 & 14001 Certification for OEM	
1 Full Height PCI and 1, Full Height PCIe x 1Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEMISO 9001 & 14001 Certification for OEM Compliance	
Monitor21.5 inch LED 1920 x 1080 at 60 Hz (same make as PC)KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEMISO 9001 & 14001 Certification for OEMComplianceISO 9001 & 14001 Certification for OEM	
KeyboardUSB 104 keys keyboard (same make as PC)MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEMISO 9001 & 14001 Certification for OEM Compliance	
MouseUSB Optical Scroll Mouse (same make as PC)Power SupplyPower factor correction (PFC) power supply With minimum 85% efficiencyOEMISO 9001 & 14001 Certification for OEM Compliance	
Power Supply Power factor correction (PFC) power supply With minimum 85% efficiency OEM ISO 9001 & 14001 Certification for OEM Compliance ISO 9001 & 14001 Certification for OEM	
85% efficiency OEM ISO 9001 & 14001 Certification for OEM Compliance	
OEM ISO 9001 & 14001 Certification for OEM Compliance	
Compliance	
Cartification Engage Chart Carthinham EDEAT City of high an DallCart	
Certification EnergyStar 6 or higher, EPEAT Silver or higher, RoHS or equivalent, FCC, UL	
Operating System should be compatible with latest Windows Pro Editions,	
System Red Hat Enterprise Linux 7.4 ,Ubuntu 16.04	
Warranty Minimum 3 Years On-site comprehensive warranty	
SupportOEM should have minimum 2 support centers in Kerala, preferably one in Calicut.	

Quote separately for optional accessories compatible with above system (Quote Unit price)

SI.	ITEM	QTY.	Unit Price (Rs.)
No.			
1	8GB , DDR4, 2666MHz RAM	15 Nos.	
2	256GB M.2 PCIe NVMe Solid State Drive	5 Nos	
3	4 GB Graphics card with Mdp out	5 Nos	
4	512 GB M.2 PCIe NVMe Solid State Drive	5 Nos.	