

AI-Enabled Smart Agriculture System for Intelligent Irrigation Management

Miss Snehal B. Jadhav
Student
National Institute of Electronics &
Information Technology
Aurangabad India
snehaljadhav8430@gmail.com

Shri Shashank Kumar Singh
Asst. M. Tech Coordinator WBL
Coordinator, Project Coordinator of
B.Tech. & M. Tech., Co-CI (3DPAM)
National Institute of Electronics &
Information Technology
Aurangabad India
shashank@nielit.gov.in

Shri Saurabh B Bansod
Vigilance Officer, Chief Investigator –
IoT Project, Chief Investigator - Drone
Project
National Institute of Electronics &
Information Technology
Aurangabad India
saurabhkansod@nielit.gov.in

Dr Jayaraj U Kidav
B.E. (ECE), M.E. - Electronics &
Communication (VLSI Design), PhD
(Electronics & Comm Eng)
National Institute of Electronics &
Information Technology
Aurangabad India
jayaraj@nielit.gov.in

Abstract—Efficient irrigation management is a critical challenge in modern agriculture due to increasing water scarcity and the need for sustainable farming practices. This paper presents an AI-enabled smart agriculture system designed for intelligent irrigation management using real-time sensor data and adaptive decision-making techniques. The proposed system integrates soil moisture, temperature, humidity, and environmental parameters with crop-specific inputs such as crop type and growth stage to optimize irrigation scheduling. An adaptive threshold-based approach is employed, where irrigation decisions are dynamically learned from historical sensor data rather than relying on fixed moisture limits. The system architecture supports both cloud-assisted analytics and partial edge-based decision-making using an ESP32 microcontroller, improving scalability and reducing dependency on centralized computation for small-scale deployments. Experimental evaluation and comparative analysis demonstrate that the proposed approach achieves significant water savings while maintaining favorable crop growth conditions when compared with conventional irrigation methods. The results indicate improved irrigation efficiency, reduced water wastage, and potential enhancement in crop yield stability. The proposed system offers a cost-effective, scalable, and intelligent solution suitable for precision agriculture applications, particularly in resource-constrained farming environments.

Keywords—Precision Agriculture, Automated Irrigation, IoT-Based Monitoring, AI-Driven Decision Making, ESP32 Microcontroller, Smart Farming

I. INTRODUCTION

Agriculture plays a vital role in global food security and economic sustainability; however, traditional irrigation practices often result in inefficient water usage due to manual control, fixed scheduling, and lack of real-time environmental awareness. With increasing water scarcity and climate variability, the need for intelligent and resource-efficient irrigation systems has become more critical than ever. Recent advancements in Internet of Things (IoT) technologies and

Artificial Intelligence (AI) have enabled the development of smart irrigation systems capable of monitoring soil and environmental conditions and automating water distribution processes [1], [2], [3].

Several studies have explored IoT-enabled precision agriculture systems that utilize sensor networks to collect soil moisture, temperature, and humidity data for improved irrigation control [4], [5]. Additionally, AI and machine learning techniques have been applied to irrigation scheduling to enhance water-use efficiency and reduce human intervention [6], [7]. While these approaches demonstrate promising results, many existing systems rely on fixed moisture thresholds, generic decision rules, and centralized cloud-based processing, which limit adaptability across different crop types and farming scales.

Furthermore, most reported smart irrigation solutions do not sufficiently consider crop-specific water requirements or growth-stage variations, leading to suboptimal irrigation decisions. The absence of adaptive threshold mechanisms learned from historical data further restricts system intelligence and responsiveness. In addition, the reliance on centralized computation increases latency and limits feasibility for small-scale or resource-constrained agricultural deployments.

To address these limitations, this paper proposes an AI-enabled smart irrigation system that integrates real-time sensor data with crop-specific inputs, including crop type and growth stage, to enable adaptive irrigation decision-making. The proposed approach employs data-driven adaptive thresholds rather than fixed limits and supports partial edge-based inference using low-power microcontrollers, improving scalability and deployment flexibility. By combining AI-driven intelligence, IoT-based sensing, and efficient system architecture, the proposed solution aims to enhance irrigation efficiency, reduce water wastage, and support sustainable agricultural practices.

II. LITERATURE REVIEW

Smart irrigation systems have gained significant attention in recent years due to increasing water scarcity and the need for sustainable agricultural practices. Early research efforts focused on automating irrigation through sensor-based monitoring of soil moisture and environmental parameters to reduce manual intervention and water wastage [1], [2]. These systems demonstrated improvements over traditional irrigation methods; however, they often relied on fixed scheduling or static threshold values, limiting adaptability to varying field conditions.

With the advancement of Internet of Things (IoT) technologies, several studies proposed IoT-enabled smart agriculture frameworks that enable real-time data acquisition and remote monitoring of agricultural fields [3], [4]. Such systems utilize distributed sensor networks to collect soil moisture, temperature, and humidity data, allowing automated irrigation control. Although these approaches improve operational efficiency, they primarily focus on data collection and monitoring, with limited intelligence in decision-making mechanisms.

Artificial intelligence (AI) and machine learning techniques have subsequently been incorporated to enhance irrigation efficiency by enabling data-driven decision-making. Some studies employed machine learning models to predict irrigation requirements based on historical and real-time environmental data, resulting in improved water-use efficiency [5], [6]. However, many of these approaches apply generalized models without considering crop-specific characteristics or growth-stage variations, which are crucial for precision irrigation.

Recent research has explored AI-driven precision irrigation systems that integrate machine learning with IoT infrastructures to optimize water distribution. Patil and Asra [8] proposed a smart IoT-driven irrigation framework utilizing machine learning for real-time environmental monitoring and water optimization. While the system demonstrates improved automation and efficiency, it does not explicitly address adaptive threshold learning or edge-based feasibility for small-scale deployments. Similarly, Saraswathi et al. [9] presented an integrated IoT-based agriculture monitoring system that focuses on real-time field observation but lacks intelligent adaptive irrigation control.

Water conservation using AI-enhanced IoT networks has also been investigated to promote sustainable agriculture. Maniraj et al. [10] developed a solar-powered IoT framework combined with AI techniques for agricultural water conservation. Although energy efficiency and sustainability are emphasized, the system relies heavily on centralized processing and does not incorporate crop-aware decision models. End-to-end agricultural intelligence platforms integrating IoT and AI have been proposed to provide comprehensive farm management solutions [11]; however, such systems often introduce increased computational complexity and dependency on cloud infrastructure.

Beyond irrigation, AI-enabled IoT applications have been extended to other agricultural domains, such as pest detection and crop monitoring. Xue et al. [12] demonstrated the effectiveness of deep learning models deployed within IoT-enabled environments for real-time pest detection. While this work highlights the potential of edge-supported AI in agriculture, it does not address irrigation scheduling or water management challenges.

From the existing literature, it is evident that despite significant progress in IoT- and AI-based agricultural systems, key limitations remain, including reliance on fixed moisture thresholds, lack of crop-specific calibration, and limited support for edge-based decision-making. The proposed system distinguishes itself by integrating crop-aware inputs, adaptive threshold-based irrigation decisions learned from historical data, and partial edge-level inference using low-power microcontrollers. This approach addresses the identified research gaps and enhances irrigation efficiency, scalability, and applicability across diverse agricultural settings

III. PROPOSED SYSTEM ARCHITECTURE

The proposed AI-enabled smart irrigation system is designed to provide intelligent, adaptive, and cost-effective irrigation management by integrating IoT-based sensing, AI-driven decision-making, and automated water control. The overall system architecture consists of four primary layers: sensing layer, processing layer, decision-making layer, and actuation layer, as illustrated in Fig.1.




Fig.1. Block Diagram of AI-Enabled Smart Agriculture Irrigation System

The sensing layer is responsible for real-time data acquisition from the agricultural field. It comprises soil moisture sensors, temperature sensors, humidity sensors, and environmental monitoring units deployed at appropriate locations across the cultivation area. These sensors continuously collect field parameters that directly influence irrigation requirements. To improve cost-effectiveness and deployment feasibility, the system supports operation with a reduced set of essential sensors while maintaining acceptable irrigation accuracy. The collected sensor data is transmitted to a low-power microcontroller unit (ESP32), which acts as the primary processing and communication node. The ESP32 aggregates sensor readings and performs preliminary data validation and normalization. Communication between the field unit and the cloud platform is established using wireless connectivity, enabling reliable data transmission for further analysis, historical storage, and visualization. The decision-making layer incorporates artificial intelligence techniques to determine optimal irrigation actions. Unlike traditional systems that rely on fixed moisture thresholds, the proposed approach employs an adaptive threshold-based mechanism

learned from historical sensor data. Crop-specific parameters, including crop type and growth stage, are integrated into the decision logic to account for varying water requirements across different cultivation phases. To enhance scalability and reduce dependency on centralized computation, the system adopts a hybrid decision-making strategy. Basic inference and threshold-based irrigation decisions are executed locally on the ESP32 microcontroller, enabling timely response and reduced latency. Cloud-based processing is utilized primarily for model training, periodic threshold updates, and long-term performance analysis. This hybrid architecture ensures suitability for both small-scale and large-scale agricultural deployments. Based on the output of the decision-making module, control signals are generated to operate irrigation actuators such as water pumps and solenoid valves. The actuators regulate water flow dynamically according to real-time field conditions and learned irrigation patterns. Automated actuation minimizes human intervention and prevents over-irrigation or under-irrigation, contributing to efficient water utilization. The operational workflow of the proposed system follows a sequential process. Initially, field sensors collect environmental and soil-related data, which is transmitted to the ESP32 controller. The controller processes the incoming data and applies adaptive decision logic considering crop-specific parameters. Based on the inferred irrigation requirement, control commands are issued to the actuators to regulate water supply. Simultaneously, sensor data and decision logs are transmitted to the cloud for monitoring, analysis, and model refinement. This continuous feedback loop enables intelligent, adaptive, and sustainable irrigation management. The sequential operation of sensing, decision-making, and actuation is illustrated in Fig. 2.




Fig.2. Flowchart of AI-Enabled Smart Agriculture Irrigation System

IV. RESULTS & DISCUSSION

A smart irrigation system enabled by AI technology will be analysed under experimental settings to assist in assessing the efficiency of irrigation systems and optimizing water use. This will be based on key performance metrics of water use; stability of soil moisture or plant-available water; and consistency of crop yield. The results will be benchmarked

against conventional irrigation systems using fixed schedule and non-adaptive thresholds.

Water use analysis (Figure 4) shows a significant reduction in water use as a result of the use of AI technology. Unlike the conventional approach of fixed schedules and non-adaptive thresholds (that can result in excessive water use), the intelligent operation of the proposed system automatically adjusts the quantity of water applied based on real-time readings from sensors and intelligent control of the thresholds of moisture levels. This results in effective use of water resources with very little waste; therefore, the system is suitable for use in water-scarce areas. The proposed system has the capacity to maintain stable soil moisture levels under varying weather conditions while using adaptive threshold technology. The adaptive thresholds continuously learn from past behaviour to determine optimal irrigation amounts before the crop is able to produce excess or insufficient crop growth based on the soil moisture level of the plants. This will assist in ensuring that the soil moisture levels remain optimal for healthy plant growth.

The analysis of the stability of crop yields (Fig. 3) demonstrated that the proposed system will promote growing conditions that are stable by maintaining an adequate water supply to the crops in a timely manner. The implementation of the AI-based system, as opposed to traditional irrigation methods where irregular irrigation causes variability in growth due to intermittent watering, results in a more consistent irrigation schedule for the plant. This contributes to greater plant health, less stress on the plants, and therefore higher crop yield variability. The hybrid edge-cloud architecture enables improved responsiveness of the proposed system by allowing for local decision-making to the ESP32 microcontroller. With the implementation of local decision-making, there is less latency in making irrigation decisions and providing timely watering to crops, even when the network is not continuously available. The intelligence in the proposed system is augmented by utilizing the cloud component and conducting long-term data analysis, which makes it possible to periodically re-adjust models used for making irrigation-related decisions.

Overall, the experimental results demonstrate that the proposed system outperforms conventional irrigation practices for water usage efficiency, crop adaptability, and yield stability. The incorporation of artificial intelligence (AI), Internet-of-Things (IoT), and adaptive decision-making capabilities provide a highly effective precision agriculture system, especially for areas that have a limited supply of natural resources.




Fig.3. Crop Yield Stability




Fig.3. Water Usage Analysis

V. CONCLUSION AND FUTURE SCOPE

This paper presented an AI-enabled smart agriculture system for intelligent irrigation management that integrates IoT-based sensing, adaptive decision-making, and automated water control to address the limitations of conventional irrigation practices. By incorporating real-time soil and environmental data with crop-specific inputs such as crop type and growth stage, the proposed system enables precise and context-aware irrigation scheduling. The use of adaptive threshold learning derived from historical sensor data improves irrigation accuracy by dynamically responding to changing field and environmental conditions, thereby reducing water wastage and enhancing irrigation efficiency. A hybrid edge-cloud architecture was adopted in which local inference is performed on a low-power microcontroller to ensure low-latency decision-making and operational reliability, while cloud-based processing supports data analytics and periodic model refinement. Experimental evaluation and comparative analysis demonstrated improved water utilization and stable soil moisture conditions when compared with traditional fixed-threshold irrigation methods, indicating the potential for enhanced crop growth consistency. The proposed approach offers a scalable and cost-effective solution suitable for precision agriculture applications, particularly in small-scale and resource-constrained farming environments. Future work will focus on extended field deployments across multiple crop types and seasonal conditions to enable comprehensive yield analysis,

integration of advanced machine learning models for predictive irrigation scheduling.

REFERENCES

- [1] P. K. Patra et al., "Private 5G deployment on smart agriculture," in Proc. IEEE Future Networks World Forum (FNWF), 2024, pp. 630-635, doi: 10.1109/FNWF63303.2024.11028786..
- [2] Prakash Korlepara, N. S. D., V. S. N. Narasimha Raju, P. V. V. Satyanarayana, V. Sunil Kumar, Y. Jahnavi Priya, and D. Harsha Vardan. "Real-time precision irrigation system for optimal crop yield and water conservation." In IOP Conference Series: Earth and Environmental Science, vol. 1375, no. 1, p. 012019. IOP Publishing, 2024.
- [3] Jaiswal, Nikita, T. Vijay Kumar, and Chitra Shukla. "Smart drip irrigation systems using IoT: a review of architectures, machine learning models, and emerging trends." Discover Agriculture 3, no. 1 (2025): 253.
- [4] Gacu, Jerome G., Cris Edward F. Monjardin, Ronald Gabriel T. Mangulabnan, Gerald Christian E. Pugat, and Jerosse G. Solmerin. "Artificial intelligence (AI) in surface water management: a comprehensive review of methods, applications, and challenges." Water 17, no. 11 (2025): 1707.
- [5] Swarnkar, Suman Kumar, Leelkanth Dewangan, Omprakash Dewangan, Tamanna Manishkumar Prajapati, and Fazle Rabbi. "AI-enabled crop health monitoring and nutrient management in smart agriculture." In 2023 6th international conference on contemporary computing and informatics (IC3I), vol. 6, pp. 2679-2683. IEEE, 2023.
- [6] Assimakopoulos, Fotis, Costas Vassilakis, Dionisis Margaritis, Konstantinos Kotis, and Dimitris Spiliotopoulos. "AI and related technologies in the fields of smart agriculture: A review." Information 16, no. 2 (2025): 100.
- [7] Paluru, Kowsi Priya, Rekha Priya Repalle, Lokanath Reddy Chilakala, B. Ravi Chandra, and I. Sharath Chandra. "IoT-Web Monitor and Controlled Real-Time Smart Diverse Farmers Gadget using ESP32 Microcontroller." In 2025 8th International Conference on Trends in Electronics and Informatics (ICOEI), pp. 33-38. IEEE, 2025.
- [8] B. Patil and S. Asra, "Smart IoT-driven precision irrigation: Enhancing water efficiency with machine learning and real-time environmental monitoring," in Proc. Int. Conf. Comput. Technol. Data Commun. (ICCTDC), 2025[Early Access], pp. 1-6.
- [9] R. V. Saraswathi et al., "Integrated IoT based smart agriculture monitoring system," in Proc. 6th Int. Conf. Mobile Comput. Sustain. Informat. (ICMCSI), 2025 [Early Access], pp. 123-130.
- [10] S. P. Maniraj et al., "Agricultural water conservation through AI-enhanced solar IoT networks," in Proc. Int. Conf. Electron. Renew. Syst. (ICEARS), 2025 [Early Access], pp. 45-52.
- [11] H. N. H. Gurajada and R. Autade, "Integrating IoT and AI for end-to-end agricultural intelligence systems," in Proc. Int. Conf. Eng., Technol. Manage. (ICETM), 2025 [Early Access], pp. 89-95.
- [12] X. Xue et al., "Real-time pest detection using ResNet-50 and vision transformer: An IoT-enabled mobile application for smart agriculture," IEEE Trans. Consum. Electron., vol. 71, no. 3, pp. 320-330, Aug. 2025 [Early Access].