## **B2.2-R4: INTRODUCTION TO DATABASE MANAGEMENT SYSTEMS**

अवधिः ०३ घंटे	अधिकतम अंक: 100					
DURATION: 03 Hours	MAXIMUM MARKS: 100					
	ओएमआर शीट सं.:					
	OMR Sheet No.:					
रोल नं.:	उत्तर-पुस्तिका सं.:					
Roll No.:	Answer Sheet No.:					
परीक्षार्थी का नाम:	परीक्षार्थी के हस्ताक्षरः					
Name of Candidate:	; Signature of candidate:					
परीक्षार्थियों के लिए निर्देश:	Instructions for Candidates:					
कृपया प्रश्न-पुस्तिका, ओएमआर शीट एवं उत्तर–पुस्तिका में दिये गए निर्देशों को ध्यानपूर्वक पढ़ें।	Carefully read the instructions given on Question Paper, OMR Sheet and Answer Sheet.					
प्रश्न-पुस्तिका की भाषा अंग्रेजी है । परीक्षार्थी केवल अंग्रेजी भाषा में ही उत्तर कर सकता है ।	Question Paper is in English language. Candidate can answer in English language only.					
इस मॉड्यूल/पेपर के <b>दो भाग</b> हैं। <b>भाग एक</b> में चार प्रश्न और भाग दो में पाँच प्रश्न हैं।	There are <b>TWO PARTS</b> in this Module/Paper. <b>PART ONE</b> contains <b>FOUR</b> questions and <b>PART TWO</b> contains <b>FIVE</b> questions.					
<b>भाग एक</b> "वैकल्पिक" प्रकार का है जिसके कुल अंक 40 है <b>तथा</b> भाग दो, "व्यक्तिपरक" प्रकार है और इसके कुल अंक 60 हैं।	<b>PART ONE</b> is Objective type and carries 40 Marks. <b>PART TWO</b> is subjective type and carries 60 Marks.					
भाग एक के उत्तर, इस प्रश्न-पत्र के साथ दी गई ओएमआर उत्तर- पुस्तिका पर, उसमें दिये गए अनुदेशों के अनुसार ही दिये जाने हैं। भाग दो की उत्तर-पुस्तिका में भाग एक के उत्तर नहीं दिये जाने चाहिए।	<b>PART ONE</b> is to be answered in the <b>OMR ANSWER</b> <b>SHEET</b> only, supplied with the question paper, as per the instructions contained therein. <b>PART ONE</b> is <b>NOT</b> to be answered in the answer book for <b>PART TWO</b> .					
भाग एक के लिए अधिकतम समय सीमा एक घण्टा निर्धारित की गई है। भाग दो की उत्तर-पुस्तिका, भाग एक की उत्तर-पुस्तिका जमा कराने के पश्चात दी जाएगी। तथापि, निर्धारित एक घंटे से पहले भाग एक पूरा करने वाले परीक्षार्थी भाग एक की उत्तर-पुस्तिका निरीक्षक को सौंपने के तुरंत बाद, भाग दो की उत्तर-पुस्तिका ले सकते हैं।	Maximum time allotted for <b>PART ONE</b> is <b>ONE HOUR</b> . Answer book for <b>PART TWO</b> will be supplied at the table when the answer sheet for <b>PART ONE</b> is returned. However, candidates who complete <b>PART ONE</b> earlier than one hour, can collect the answer book for <b>PART TWO</b> immediately after handing over the answer sheet for <b>PART</b> <b>ONE</b> .					
परीक्षार्थी, उपस्थिति-पत्रिका पर हस्ताक्षर किए बिना और अपनी उत्तर-पुस्तिका, निरीक्षक को सौंपे बिना, परीक्षा हॉल/कमरा नहीं छोड़ सकते हैं। ऐसा नही करने पर, परीक्षार्थी को इस मॉड्यूल / पेपर में अयोग्य घोषित कर दिया जाएगा।	Candidate cannot leave the examination hall/room without signing on the attendance sheet or handing over his Answer sheet to the invigilator. Failing in doing so, will amount to disqualification of Candidate in this Module/Paper.					
प्रश्न-पुस्तिका को खोलने के निर्देश मिलने के पश्चात एवं उत्तर देने से पहले उम्मीदवार यह जाँच कर सुनिश्चित कर लें कि प्रश्न-पुस्तिका प्रत्येक दृष्टि से संपूर्ण है।	After receiving the instruction to open the booklet and before answering the questions, the candidate should ensure that the Question booklet is complete in all respect.					

जब तक आपसे कहा न जाए, तब तक प्रश्न-पुस्तिका न खोलें। DO NOT OPEN THE QUESTION BOOKLET UNTIL YOU ARE TOLD TO DO SO.

# SPACE FOR ROUGH WORK

### PART ONE

### (Answer all the questions)

1. Each question below gives a multiple choice of answers. Choose the most appropriate one and enter in the "OMR" answer sheet supplied with the question paper, following instructions therein.

(1×10=10)

- 1.1 When the values in one or more attributes being used as a foreign key must exist in another set of one or more attributes in another table, we have created a(n)
  - (A) transitive dependency
  - (B) insertion anomaly
  - (C) referential integrity constraint
  - (D) normal form
- 1.2 The \_\_\_\_\_ refers to the way data is organized in and accessible from DBMS.
  - (A) database hierarchy
  - (B) data organization
  - (C) data sharing
  - (D) data model
- 1.3 A table can have only one
  - (A) Secondary key
  - (B) Alternate key
  - (C) Unique key
  - (D) Primary key

- 1.4 In the relational models, cardinality is termed as :
  - (A) Number of tuples
  - (B) Number of attributes
  - (C) Number of tables
  - (D) Number of constraints
- 1.5 Architecture of the database can be viewed as
  - (A) two levels (B) four levels
  - (C) three levels (D) one level
- 1.6 A functional dependency is a relationship between or among
  - (A) tables (B) rows
  - (C) relations (D) attributes
- 1.7 Field is otherwise called as \_\_\_\_\_ of the record.
  - (A) data item (B) data type
  - (C) value (D) variable
- 1.8 The way a particular application views the data from the database that the application uses is a
  - (A) module
  - (B) relational model
  - (C) schema
  - (D) sub schema

### **SPACE FOR ROUGH WORK**

B2.2-R4-01-19

- 1.9 Related fields in a database are grouped to form a
  - (A) data file (B) data record
  - (C) menu (D) bank
- 1.10 \_\_\_\_\_ is, a table having more than one set of attributes that could be chosen as the key.
  - (A) Foreign key
  - (B) Integrity key
  - (C) Relationship
  - (D) Candidate key
- 2. Each statement below is either TRUE or FALSE. Choose the most appropriate one and enter your choice in the "OMR" answer sheet supplied with the question paper, following instructions therein.

(1×10=10)

- 2.1 In a database, data is stored in spreadsheets which have rows and columns.
- 2.2 Structured Query Language (SQL) is an internationally recognized standard language that is understood by all commercial database management system products.

- 2.3 Prior to 1970, all data was stored in separate files, which were mostly stored on reels of magnetic tape.
- 2.4 Semicolon at the end of each SQL Statement will terminate the SQL statement.
- 2.5 A file is a collection of similar records.
- 2.6 A principal advantage of the database approach is that you can build a single super-database that contains all data items of interest to an organization.
- 2.7 The cost of developing databases is higher than the cost of developing files.
- 2.8 A foreign key is a field whose values identify one and only one record in the same file.
- 2.9 Key integrity means that the primary key for a record must not take on a value that is outside the range of legal values.
- 2.10 When a computer program "reads" a record from a database, it actually retrieves a group or block (or page.) of records at a time. This approach minimizes the number of actual disk accesses.

Page 4

**SPACE FOR ROUGH WORK** 

B2.2-R4-01-19

 Match words and phrases in column X with the closest related meaning/ word(s)/phrase(s) in column Y. Enter your selection in the "OMR" answer sheet supplied with the question paper, following instructions therein. (1×10=10)

x		Y				
3.1	In an Entity Relationship diagram 'diamonds' represent	А.	Select			
3.2	Not an aggregate function	В.	Unified modeling language			
3.3	UML stands for	C.	C. Relationship set			
3.4	Widely used algebra in DBMS	D.	sum			
3.5	Structure of the database	E.	attribute			
3.6	Column header is referred as	F.	schema			
3.7	No partial dependencies	G.	Relational			
3.8	WFF stands for	Н.	field			
3.9	Transaction completed means it is	I.	Second normal form			
3.10	Correctness and completeness in database is known as	J.	Well formed formulae			
		K.	Data Integrity			
		L.	Committed			
		M.	Well function formed			

**SPACE FOR ROUGH WORK** 

4. Each statement below has a blank space to fit one of the word(s) or phrase(s) in the list below. Choose the most appropriate option, enter your choice in the "OMR" answer sheet supplied with the question paper, following instructions therein. (1×10=10)

А.	Exclusive	B.	Project	C.	shared
D.	Logical	E.	Document	F.	normalization
G.	Select	H.	Primary key	I.	Field
J.	Join	K.	secondary	L.	attribute
М.	stringent				

- 4.1 \_\_\_\_\_\_ files and tables contain stored copies of historical data for easy retrieval and review without the overhead of regeneration.
- 4.2 A(n) \_\_\_\_\_\_ key is an alternate identifier for a database. Its value may identify either a single record or a subset of all records.
- 4.3 A(n) \_\_\_\_\_\_ is the smallest unit of meaningful data to be stored in a file or database.
- 4.4 SQL allows you to \_\_\_\_\_\_ two or more tables across a common field (a primary and a foreign key).
- 4.5 \_\_\_\_\_ is a three-step technique that places the data model into first normal form, second normal form and third normal form.
- 4.6 A database is in second normal form if all non-key attributes are fully functional dependent on\_\_\_\_\_.
- 4.7 BCNF is \_\_\_\_\_ than 3NF.
- 4.8 \_\_\_\_\_ is used to obtain a subset of the tuples of a relation that satisfy a given condition.
- 4.9 Write mode is an \_\_\_\_\_ property of any transaction.
- 4.10 A transaction can be defined as a \_\_\_\_\_ unit of work.

### PART TWO

### (Answer any FOUR Questions)

- 5. (a) Differentiate between having and where clause in SQL with proper examples.
  - (b) Explain the ACID concepts in DBMS. (8+7=15)
- 6. (a) Suppose you are given the following requirements for a simple database for the National Hockey League (NHL): • the NHL has many teams,  $\cdot$  each team has a name, a city, a coach, a captain, and a set of players, · each player belongs to only one team, · each player has a name, a position (such as left wing or goalie), a skill level, and a set of injury records, a team captain is also a player, a game is played between two teams (referred to as host team and guest\_team) and has a date (such as May 11th, 1999) and a score (such as 4 to 2).

Construct a clean and concise ER diagram for the NHL database using the Chen notation as in vour textbook. List vour assumptions and clearly indicate the cardinality mappings as well as any role indicators in your ER diagram

What are views ? Explain how (b) views are different from tables.

(10+5=15)

Page 7

Consider the following relations : (a) S (S#, SNAME, STATUS, CITY) SP (S#, P#, QTY)

> Р (P#. PNAME. COLOR. WEIGHT, CITY)

> Give an expression in SQL for each of queries below :

- Get supplier names for (i) supplier who supply atleast one red part.
- Get supplier names for (ii) supplier who do not supply part P2.
- (b) What are the responsibilities of a DBA ? If we assume that the DBA is never interested in running his or her own queries, does the DBA still need to understand query optimization? Why?
- Explain the relevance of Data (c) Dictionary in a Database System  $([3.5 \times 2] + 5 + 3 = 15)$
- What are the disadvantages of (a) file processing systems ?
  - (b) What is data independence ? Explain the difference between physical and logical data independence.
  - What is a relationship and what (c) are their different types?

(5+5+5=15)

- How candidate key is different 9. (a) from super key?
  - Write short notes on : (b)
    - Data manipulation language (1)
    - (2)Derived attribute (7+8=15)

**SPACE FOR ROUGH WORK** 

8.

B2.2-R4-01-19

# **SPACE FOR ROUGH WORK**